

**AMENDMENTS TO THE ABSTRACT**

Please substitute the following paragraph(s) for the abstract now appearing in the currently filed specification:

**ABSTRACT**

~~The invention relates to a~~ A process for constructing infrastructures, in which aggregates, vitrified blast-furnace slag, a pulverulent activator and water are mixed together, the mix is spread out over the ground, compacted and left to harden, and in which a particulate slag and a ready-prepared additive containing, on the one hand, the activator and, on the other hand, dry ground vitrified slag having a particle size of less than 500  $\mu\text{m}$  are added to the aggregate is provided. ~~The invention also relates to~~ Further provided is the additive for the construction of infrastructures according to the said process, which additive includes, on the one hand, a pulverulent activator and, on the other hand, dry ground vitrified slag having a particle size of less than 500  $\mu\text{m}$ .